Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, AND RELATED SUBJECTS

VOLUME 34

NUMBER 9

FEBRUARY 28, 1919

WASHINGTON
GOVERNMENT PRINTING OFFICE
1919

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of cholera, plague, smallpox, typhus fever, yellow fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Joint influenza committee 377
A unified health service 377
A note on the flight of mosquitoes through horizontal water pipes 386
Epidemic influenza: Prevalence in the United States 390
The venereal clinics and detention homes of the Public Health Service 392
Deaths during week ended February 15, 1919, in cities 394

PREVALENCE OF DISEASE.

United States:
Extra-cantonment zones—Cases reported week ended February 22, 1919 ... 395
Disease conditions among troops in the United States 398
Reciprocal notification—
Minnesota 401
Current State summaries—
Telegraphic reports for week ended February 22, 1919 401
Anthrax—
City report for week ended February 8, 1919 403
Cerebrospinal meningitis—
State reports for January, 1919 404
City reports for week ended February 8, 1919 404
Chancroid—
Cases reported in extra-cantonment zones, week ended February 22, 1919 404
Diphtheria—
Cases reported in extra-cantonment zones, week ended February 22, 1919 405
Gonorrhea—
Cases reported in extra-cantonment zones, week ended February 22, 1919 405
Influenza—
Cases reported in extra-cantonment zones, week ended February 22, 1919 405
Malaria—
Louisiana report for January, 1919 405
City reports for week ended February 8, 1919 406
Measles—
Cases reported in extra-cantonment zones, week ended February 22, 1919 406
Pellagra—
State reports for January, 1919 406
City reports for week ended February 8, 1919 406
Pneumonia—
Cases reported in extra-cantonment zones, week ended February 22, 1919 406
City reports for week ended February 8, 1919 407
Poliomyelitis (infantile paralysis)—
State reports for January, 1919 408
City reports for week ended February 8, 1919 408

United States—Continued. Page.
Rabies in animals—
City reports for week ended February 8, 1919 409
Scarlet fever—
Cases reported in extra-cantonment zones, week ended February 22, 1919 409
Smallpox—
Cases reported in extra-cantonment zones, week ended February 22, 1919 409
State reports for January, 1919—Vaccination histories 409
State reports for January, 1919 411
City reports for week ended February 8, 1919 412
Syphilis—
Cases reported in extra-cantonment zones, week ended February 22, 1919 412
Tetanus—
City reports for week ended February 8, 1919 412
Tuberculosis—
Cases reported in extra-cantonment zones, week ended February 22, 1919 413
Typhoid fever—
Cases reported in extra-cantonment zones, week ended February 22, 1919 413
State reports for January, 1919 413
City reports for week ended February 8, 1919 414
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for January, 1919 415
City reports for week ended February 8, 1919 415
Foreign:
Denmark—
Influenza—September-December, 1918 420
Greece—
Further relative to influenza—Saloniki 420
Hawaii—
Influenza—Honolulu—December, 1918-January, 1919 420
Mexico—
Influenza—Vera Cruz 420
Newfoundland—
Influenza 421
Russia—
Influenza—Archangel, city and government 421
Serbia—
Typhus fever—Belgrade 421
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended February 28, 1919—
Cholera 421
Plague 422
Smallpox 422
Typhus fever 422
Reports received from December 28, 1918, to February 21, 1919—
Cholera 422
Plague 423
Smallpox 424
Typhus fever 425
Yellow fever 426